

# VELOURS ZEUS CS



Extra-heavyweight synthetic stage velvet. Permanently flame retardant. Oekotex 100 certified (Class 4).

## SPECIFICATIONS


Item	Width	Length	Weight	Composition
1211	140 cm	± 25 m	620 g/m <sup>2</sup>	100% PES FR

FR standard		
BS 5867 PART 2B / pass DIN 4102 / B1	EN 13773 / class 1 NF P 92-507 / M1	NFPA 701 / pass

<b>Care instructions</b> 	<b>Abrasion resistance</b> ISO 12947 100 000 cycles	<b>Colour fastness to light</b> ISO105-B02-2014 note 4-6
<b>Pilling resistance</b> ISO 12945-2 note 5	<b>Tear strength</b> ISO 13937-3: 2000 Warp: 35 N - Weft: 54 N	<b>Tensile strength</b> ISO 13934-1: 1999 Warp: 1300 N - Weft 1100 N

# VELOURS ZEUS CS

## SOUND ABSORPTION COEFFICIENT



This graph shows the sound absorption coefficient of a 100% pleated curtain hung from a rail positioned 15 cm from the wall (G150).

# VELOURS ZEUS CS

## AVAILABLE COLOURS



All colours but black (0007) & red (0201): min. 2 rolls.