


CYCLO 200 CS



IFR chromakey fabric for green screen applications in TV, film or photography studios.

SPECIFICATIONS

Item	Width	Length	Weight	Composition
3240	310 cm	± 60 m	200 g/m ²	100% TCS
	420 cm			
	510 cm			
	610 cm			
	1000 cm			

FR standard

BS 5867 PART 2B / pass
DIN 4102 / B1

EN 13501-1 / B-s1, d0
NF P 92-507 / M1

Care instructions




Colour fastness to chlorinated water

EN ISO 105 -E03:2010
0007 (black): note 4

CYCLO 200 CS

SOUND ABSORPTION COEFFICIENT




This graph shows the sound absorption coefficient of two curtains tested separately, hung from a rail in front of a wall:

- 100% pleat, 15 cm from the wall (G150).
- 0% pleat, 15 cm from the wall (G150).

CYCLO 200 CS

SOUND TRANSPARENCY – INSERTION LOSS



f(Hz)	50	63	80	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000	6300	8000	10000	12500	16000	20000
dB	-0.3	-1.0	-0.8	0.0	-0.8	-1.4	-2.2	-1.6	-0.9	-0.9	-1.3	-0.8	-1.3	-1.1	-1.4	-1.4	-1.2	-1.3	-1.4	-1.6	-2.1	-1.9	-1.1	-2.6	-2.1	-2.7	-2.8

AVAILABLE COLOURS



0003

0005

0007

0008

0009

Grey (0005), blue (0008) & green (0009) are only available in 510 or 610 cm wide.
420 cm & 1000 cm wide are only available in white (0003).