






GOBELINTULLE

TECHNICAL DATA SHEET

December 2019

Classic theatre sharkstooth scrim for disappearing & appearing acts. Can also be used as large speaker gauze (because of excellent sound transparency) or for exhibition stands. Mesh size: H 1.25 mm x W 2.5 mm.

» ARTICLE CODE	» WIDTH	» LENGTH	» WEIGHT
3420 0450 #	450 cm	± 70 m	85 g/m ²
3420 0640 #	640 cm	± 70 m	85 g/m ²
3420 0810 #	810 cm	± 70 m	85 g/m ²
3420 0950 #	950 cm	± 70 m	85 g/m ²
3420 1100 #	1100 cm	± 70 m	85 g/m ²
3420 1180 #	1180 cm	± 70 m	85 g/m ²
3420 1080 0007**	1080 cm	± 40 m	85 g/m ²


» COMPOSITION	» CARE INSTRUCTIONS
95% CO + 5% PES	    

» FLAME RESISTANCE

NF P 92-503 (1995)	CLASS M1
BS 5867 PART 2 TYPE B (1980)	PASS
GB-B1	PASS
AS 1530.3	PASS
AS 1530.2	PASS

GobelinTulle of 1180 cm wide is also available in FR standard DIN4102-B1.


» AVAILABLE COLOURS




**3420 1080 0007 IS ONLY AVAILABLE IN BLACK

» REFLECTION & TRANSMISSION COMPARISON

Reflection luminance factor comparison



Transmission luminance factor comparison




GOBELINTULLE

TECHNICAL DATA SHEET

December 2019

INSERTION LOSS



Freq. (Hz)	50	63	80	100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000	6300	8000	10000	12500	16000	20000
I_{loss} (dBA)	1,2	1,2	6,2	-1,4	2,3	-0,4	1,5	0,7	-2,2	-0,3	0,0	-1,2	0,2	0,3	-0,1	-0,1	-0,9	-0,4	-0,2	-0,8	0,3	-0,3	0,0	0,1	-0,2	0,2	-0,6